

## **AMENDMENTS TO THE CLAIMS**

The following listing of claims will replace all prior versions and listings of claims in the application.

### **LISTING OF CLAIMS**

1-17. (cancelled)

18. (currently amended) An organic electroluminescent device comprising:

an organic thin-film transistor including a source electrode, a drain electrode and at least an active layer made of an organic material;

an organic electroluminescent element driven by the organic thin-film transistor; and

an interlayer-insulating film disposed between the organic thin-film transistor and a luminescent layer that is included in the organic electroluminescent element; ~~and~~

the active layer being disposed between a gate of the organic thin-film transistor and the interlayer-insulating film, and the active layer being disposed between the gate of the organic thin-film transistor and the source electrode or the drain electrode.

19. (currently amended) The organic electroluminescent device according to Claim 18, further comprising a substrate, wherein the luminescent layer ~~organic electroluminescent element~~ is provided between the substrate and the organic thin-film transistor.

20. (previously presented) The organic electroluminescent device according to Claim 18, further comprising a substrate, wherein the organic thin-film transistor is provided between the substrate and the organic electroluminescent element.

21. (currently amended) The organic electroluminescent device according to Claim 18 a total area occupied by the source electrode or the drain electrode being larger than an area occupied by the luminescent layer ~~a total area of a source and a drain of the organic thin-film transistor being larger than an area of a region provided with the luminescent layer.~~

22. (currently amended) The organic electroluminescent device according to Claim 18, the source electrode ~~organic thin-film transistor including a source~~ having a first part and a plurality of second parts projecting from the first part and the drain electrode ~~a drain~~ having a third part and a plurality of fourth parts projecting from the third part.

23. (currently amended) The organic electroluminescent device according to Claim 22, the gate overlapping ~~covering~~ at least a part of each of the plurality of second parts and at least a part of each of the plurality of fourth parts.

24. (previously presented) The organic electroluminescent device according to Claim 22, one of the plurality of second parts being sandwiched between two of the plurality of fourth parts.

25. (currently amended) The organic electroluminescent device according to Claim 18, each of the source electrode and the drain electrode having a spiral shape  
~~the organic thin film transistor including a source having a spiral shape and a drain having a spiral shape.~~

26-40. (cancelled)

41. (previously presented) The organic electroluminescent device according to claim 18, wherein the active layer includes an organic-semiconductor film made of at least one of anthracene, tetracene, and pentacene.

42. (previously presented) The organic electroluminescent device according to claim 18, luminescent layer having a cylindrical shape.

43. (previously presented) The organic electroluminescent device according to claim 42, wherein the luminescent layer has a thickness of about 80 nm.

44. (previously presented) The organic electroluminescent device according to claim 42, wherein the luminescent layer includes at least one of polyfluorene and polyparaphenylene.

45. (previously presented) The organic electroluminescent device according to claim 18, further comprising:

a first electrode; and

a second electrode that sandwiches the luminescent layer with the first electrode.

46. (currently amended) The organic electroluminescent device according to claim 45, an area occupied by the first electrode being is larger than an area occupied by the luminescent layer.

47. (previously presented) The organic electroluminescent device according to claim 45, the first electrode having a cylindrical shape.

48. (new) The organic electroluminescent device according to claim 45, the first electrode being connected to the source electrode or the drain electrode through a wiring that is formed in the interlayer-insulating film.